PLUS Search Results for S/N 10811299 Searched Dec 13, 2006.
The Patent Linguistic Utility System (PLUS) is a USPTO automated search system for U.S. Patents from 1971 to present. PLUS is a query-by-example search system which produces a list of patents that are most closely related linguistically to the application searched. This search was prepared by the staff of the Scientific and Technical Information Center STRA Technical Information Center, SIRA. 

# 10811299\_CLS Most frequently occurring classifications of patents returned from a search Of 10811299 on Dec 13 , 2006

```
Original Classifications
5 365/185.33
4 607/5
4 429/27
    310/90.5
             705/4
137/14
623/3.14
365/185.18
60/203.1
             36/27
             30/27
241/236
324/430
600/300
705/36R
705/35
372/57
             123/196s
             424/94.4
             305/160
205/734
264/258
244/171.1
             123/497
             702/178
            702/1/8
372/38.01
250/205
365/229
165/10
340/632
365/230.03
             417/273
             204/196.33
             99/281
             356/459
455/63.1
711/103
60/274
             165/206
             347/32
             126/80
             347/28
347/108
700/99
Cross-Reference Classifications
             365/226
60/204
    5
4
             204/196.36
365/189.09
365/185.33
347/33
372/59
    4
    444333333333
             205/734
             204/284
             244/172.2
             417/356
204/290.12
204/290.14
```

```
417/420
607/29
36/28
36/30R
365/218
347/85
429/34
365/185.11
                                                365/185.29
                                            184/6.4
700/108
324/431
324/433
324/427
123/196R
123/1A
184/103.1
424/616
305/46
305/51
264/275
264/279.1
264/328.2
264/328.6
244/169
123/41.31
416/111
368/10
372/31
165/104.17
62/259.3
62/299
340/628
340/693.6
429/96
365/185.18
417/415
205/738
99/291
99/293
372/94
455/119
455/119
455/119
455/119
455/119
455/119
455/119
455/119
455/119
455/119
455/119
455/119
455/119
455/119
455/119
455/119
455/119
455/119
455/119
455/119
455/119
455/119
455/119
455/119
455/119
455/119
455/119
455/119
455/119
455/119
455/119
455/119
455/119
455/119
455/119
455/119
455/119
455/119
455/119
455/119
455/119
455/119
455/119
455/119
455/119
455/119
                                                417/138
                                              417/141
73/168
429/72
                                                429/83
                                              165/264
347/29
126/85B
700/28
                                                705/8
```

#### 10811299\_CLS

```
Combined Classifications
9 365/185.33
5 205/734
5 365/226
5 365/185.18
5 607/5
5 347/33
4 310/90.5
4 705/4
60/204
         705/4
60/204
204/196.36
365/189.09
607/29
429/27
324/430
324/433
324/427
                         324/42/
600/300
372/59
123/196R
123/196S
137/14
204/284
244/172.2
                         244/172.2
623/3.14
417/356
250/205
204/290.12
204/290.14
60/203.1
417/420
36/27
36/28
36/30R
365/218
347/85
429/34
365/185.11
365/185.29
                          365/185.29
                          184/6.1
                         184/6.4
241/236
705/2
700/83
700/108
320/132
                         320/132
324/431
705/36R
424/9.52
705/35
372/57
716/5
123/1A
                          184/103.1
                          123/514
424/94.4
                         424/616
235/380
305/160
                          305/46
                          305/51
                          264/258
```

264/275

# 10811299\_CLS

```
264/279.1

264/328.6

244/328.6

244/171.1

244/169

123/497

123/41.31

416/111

702/178

368/10

372/38.01

372/31

250/559.37

365/229

165/10

165/104.17

62/259.3

62/299

340/632

340/628

340/693.6

429/96

700/175

219/110
365/185.23
365/230.03
417/273
417/415
701/13
204/196.33
205/738
99/281
99/285
99/291
99/293
356/459
372/94
455/63.1
455/119
455/77
711/103
700/79
713/324
36/35R
60/274
714/25
714/46
307/125
340/572.8
244/166
137/563
137/565.34
                                                13//593
417/138
417/141
73/168
429/72
429/83
165/206
165/264
                                                 347/32
347/29
                                                   126/80
```

# 10811299\_CLS

2	T26/82B
2	347/28
2	716/4
2	347/108
2	702/184
2	702/42
2	700/99
2	700/28
2	705/8